



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

Modetryl Plus



>



Cow



Poultry

>



Goat



Lamb

Oral Solution - Broad Spectrum Antibiotic

DOSAGE AND ADMINISTRATION:

Poultry:

1 ml per 2-4 litres of drinking water for 3-5 days.

Calves, goats and sheep:

0,5 ml per 20-40 kg of body weight for 3-5 days.

INDICATIONS:

Enrofloxacin has a broad range of lethal effect on most types gram-negative bacteria, which include E-coli and salmonella, Klebsiella, hemophilus, pasteurilla and pseudomonas and gram-positive bacteria: Clostridia, Staphylococcus, Streptococcus, Chlamydia and Mycoplasma that affects the pulmonary system, Digestive system, and reproductive system.

Modetryl Plus contains bromhexien, which enhances its effect and removes congestion in the upper respiratory tract and dissolves and expels mucous secretions.

COMPOSITION:

Each 1 liter contains

Enrofloxacin 200 mg

Bromhexien Hydrochloride 10 mg

WITHDRAWAL PERIOD:

For meat: 7 days.



1000 ml



(below 30°C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

موديتريل بلص



>



Cow



Poultry

>



Goat



Lamb

محلول فموي - مضاد حيوي واسع الطيف

الجرعات وطريقة الاستعمال :

الدواجن:
١ مل لكل ٢-٤ لترات من مياه الشرب لمدة ٣-٥ أيام.
العجول، الماعز، والأغنام:
٥٠٠ مل لكل ٢٠-٤٠ كجم من وزن الجسم لمدة ٣-٥ أيام.

الخواص العلاجية والإستطبابات:

إن إنزوفلوكساسين يتمتع بمجال واسع من التأثير القاتل على معظم أنواع البكتيريا سالبة الجرام، والتي تشمل الإشريكية القولونية (E. coli)، السالمونيلا، الكليبيسيلا، الهيموفيلوس، الباستوريلا، والزائفة (Pseudomonas). كما يؤثر على البكتيريا موجبة الجرام، مثل الكلوستريديا، المكورات العنقودية (Staphylococcus)، العنقودية (Streptococcus)، الكلاميديا، والميكوبلازما التي تصيب الجهاز التنفسي، والجهاز الهضمي، والجهاز التناسلي.
يحتوي موديتريل بلص (Modetryl Plus) على برومهيكسين، الذي يعزز تأثيره، ويساعد في إزالة الاحتقان في الجهاز التنفسي العلوي، كما يعمل على إذابة وإخراج الإفرازات المخاطية.

التركيبية :

يحتوي كل ١ لتر على:

إنزوفلوكساسين ٢٠٠ مجم
برومهيكسين هيدروكلوريد ١٠٠ مجم

فترة السحب :

فترة السحب للحوم: ٧ أيام.



١٠٠٠ مل



(أقل من ٣٠٠ درجة مئوية)