




شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

MOVE - Flubendazole 120



Broad Spectrum Antiparasitic

DOSAGE AND ADMINISTRATION:

- Treatment duration 7 consecutive days.
- Poultry: 250 gm /ton of feed (start at 10 weeks old, repeat at 20 weeks old then every 3 months
 - Turkey: 165 gm/ton of feed. Start treatment at 4 weeks old. Repeat after 3 weeks old, then every 2 months.
 - Ducks and geese: 250 gm/ton of feed.
 - Sheep: 0.08 gm/kg body weight given with feed for a week.

INDICATIONS:

- For treatment of worm infection like: Large round worms (Ascaridia), small round worms (Cecal worms heterakis), Hair worms (Crop worms-Capillaria), Gape worms (Syngmus), Tape worms (Raiietina and Davainea), Trichostrongylus and Amidostoum.
- Recommended also for treatment of whip worms (Trichuris) in sheep.

COMPOSITION:

Each 1 gm contains:

Flubendazole 120 mg

WITHDRAWAL PERIOD:

Meat: 15 days

Eggs: Nil

Milk: Nil



100 gm




(below 30°C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

موفي - فلوبيندازول 100



Pharmaceutical

مضاد طفيلي واسع الطيف

الجرعات وطريقة الاستعمال :

المعالجة لمدة ٧ أيام متتالية
-الدواجن: ٢٥٠ غم لكل طن علف. تبدأ المعالجة على عمر ١٠ اسابيع، وتكرر على عمر ٢٠ اسبوعا، ويكرر كل ثلاثة أشهر
- دجاج الحيش (الرومي): ١٦٥ غم لكل طن علف، وتبدأ المعالجة عند الاسبوع الرابع من العمر، وتكرر بعد ثلاثة اسابيع ثم كل شهرين
- البط والوز: ٢٥٠ غم لكل طن علف
- الاغنام: يعطى مع العلف بمعدل ٠,٠٨ غم/كغم وزن جسم ولمدة اسبوع.

الخواص العلاجية والإستطبابات:

- معالجة ومكافحة اصابات الديدان المعوية المختلفة: الديدان الاسطوانية الكبيرة (اسكاريديا)، والديدان الاسطوانية الصغيرة (ديدان الاعورين /هيتراكييس)، والديدان الشعرية (ديدان الحوصلة /كابيلاريا)، وديدان القصبه الهوائية او المزدوجة (سينجامس) والديدان الشريطية (رايلاتينا، دافانيا) وديدان ترايكوستر ونجاليس، وديدان اميدوستومم.
- ينصح باستعماله لمعالجة الديدان السوطية (ترايكوريس) في الاغنام.

التركيبية :

كل ١ جرام يحتوي :

فلوبيندازول ١٢٠ ملغرام

فترة السحب :

اللحم: ١٥ يوم البيض: لا يوجد
الحليب: لا يوجد



١٠٠ جرام



(أقل من ٣٠٠ درجة مئوية)