



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

NEW

Pharmaceutical

Movexin 2% Plus



>



Cow



Poultry

>



Goat



Lamb



Horse



Cat



Dog

Oral Solution via drinking water

Expectorant and Aid Therapy - Used in Treatment of Bronchopneumonia

DOSAGE AND ADMINISTRATION:

Poultry: 0.5 ml per 4 liters of drinking water for 3-5 days.

Cattle, Sheep and Goat: 1 ml per 40 kg b.w for 5-7 days.

Horses: 0.5 - 1.25 ml per 100 kg. b.w for 5-7 days.

Pets: 0.5-1 ml per 10 kg body weight for 5-7 days.

INDICATIONS:

Movexin 2% Plus acts as a mucolytic expectorant, which is of value in achieving liquefaction and improving the flow characteristics of mucus. The addition of Eucalyptus oil, Citrus oil, Thymol and Camphor produces distinctive effects in alleviating viral diseases such as Newcastle disease, Avian Influenza, Infectious Bronchitis and Mycoplasmosis (CRD), Aid animals to overcome post-vaccination reaction and improves the appetite in case of poultry sickness. It is recommended in cases of Bronchopneumonia, in Cattle, Sheep, Goat and Horses.

Notes:

* Movexin 2% Plus is safe when used in combination with antimicrobials.

* It can be used in hot weather as a conditioner to decrease the stress in animals, because it acts as a respiratory stimulant improving heat exchange.

COMPOSITION:

Each 1ml contains:

Bromhexine HCL 20 mg

Eucalyptus oil 10 mg

Citrus oil 10 mg

Thymol 10 mg

Camphor 10 mg

WITHDRAWAL PERIOD:

None



500 ml



(below 30° C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

جديد

موفكسين ٢٪ بلس



Cow



Poultry

>



Goat



Lamb



Horse

>



Cat



Dog

Pharmaceutical

محلول فموي عن طريق مياه الشرب
طارد للبلغم وعلاج مساعد - يستخدم في علاج الالتهاب الرئوي القضيبي

التركيبية :

يحتوي كل ١ مل على:
برومهيكسين هيدروكلوريد ٢٠ مجم
زيت الأوكالينوس ١٠ مجم
زيت الحمضيات ١٠ مجم
ثيمول ١٠ مجم
كافور ١٠ مجم

فترة السحب :

لا يوجد

الجرعات وطريقة الاستعمال :

الدواجن: ٠,٥ مل لكل ٤ لترات من مياه الشرب لمدة ٣-٥ أيام.
الأبقار والأغنام والماعز: ١ مل لكل ٤٠ كجم من وزن الجسم لمدة ٥-٧ أيام.
الخيول: ٠,٥ - ١,٢٥ مل لكل ١٠٠ كجم من وزن الجسم لمدة ٥-٧ أيام.
الحيوانات الأليفة: ٠,٥ - ١ مل لكل ١٠ كجم من وزن الجسم لمدة ٥-٧ أيام.

الخواص العلاجية والإستطبابات:

يعمل موفكسين ٢٪ بلس كطارد للبلغم، وهو ذو قيمة في تحقيق التسهيل وتحسين خصائص تدفق المخاط. ينتج عن إضافة زيت الأوكالينوس، وزيت الحمضيات، والثيمول والكافور تأثيرات مميزة في تخفيف الأمراض الفيروسية مثل مرض نيوكاسل، وإنفلونزا الطيور، والتهاب الشعب الهوائية المعدي، والميكوبلازما (CRD)، يساعد الحيوانات على التغلب على ردود الفعل بعد التطعيم ويحسن الشهية في حالة مرض الدواجن. يوصى به في حالات الالتهاب الرئوي القضيبي في الأبقار والأغنام والماعز والخيول.

الملاحظات:

* موفكسين ٢٪ بلس آمن عند استخدامه مع مضادات الميكروبات.
* يمكن استخدامه في الطقس الحار كمكيف لتقليل الإجهاد لدى الحيوانات، لأنه يعمل كممنشط تنفسي يحسن تبادل الحرارة.



٥٠٠ مل



(أقل من ٣٠٠ درجة مئوية)