



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

Actifarm Plus



Poultry



Food supplement - anti-stress

Growth accelerator and immune booster - Antibiotic for the growth of bacteria and harmful fungi

DOSAGE AND ADMINISTRATION:

1 ml per 1 liter of drinking water for 5-7 days.

INDICATIONS:

- Accelerates the growth processes of young and resists harmful bacterial and fungal diseases (diarrhea).
- Used in laying hens, mother hens and broilers to avoid low feed conversion (low egg production - egg size Quality of hatching eggs - bird weight...etc.) especially when changing feed.
- It is used before and during marketing to increase the weight of poultry and reduce diarrhea and mortality rate.

COMPOSITION:

Each 1 liter contains:
Methionine and amino acids 350 grams
(Alanine, Arginine, Aspartic Acid, Cysteine / Cystine, Glutamic Acid, Glycine, Histidine, Isoleucine, Leucine, Lysine Monohydrate, Ornithine Hydrochloride, Phenylalanine, Proline, Serine, Taurine, Threonine, Tyrosine).
Formic Acid, Propionic Acid, Lactic Acid, Acetic Acid 540 grams

WITHDRAWAL PERIOD:

None



1000 ml



(below 30° C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

أكتيفارم بلص



>



Poultry

>

مكمل غذائي- مضاد للإجهاد
مسرع للنمو ورافع للمناعة - مثبط لنمو البكتيريا والفطريات الضارة

الجرعات وطريقة الاستعمال :

١ مل لكل ١ لتر من ماء الشرب لمدة ٥-٧ أيام.

الخواص العلاجية والإستطابات:

- يسارع في عمليات النمو للصغار ومقاومة الأمراض البكتيرية والفطريات الضارة (الإسهالات).
- يستخدم في الدجاج البياض وأمهات الدجاج والدجاج اللحم لتجنب انخفاض التحويل الغذائي (انخفاض إنتاج البيض- حجم البيضة
- جودة بيض التفريخ - وزن الطائر...الخ) خاصة عند تغيير العلف.
- يستخدم قبل وخلال التسويق لزيادة على وزن الدواجن وخفض الإسهالات ونسبة الوفيات.

التركيبية :

كل ١ يحتوي على لتر :
ميثونين وأحماض أمينية ٣٥ جرام
(الأنثين، أرجينين، حمض الأسبارتيك، الميسيتين / الميسيتين،
حمض الجلوتاميك، الجلايسين، الهستيدين، إيزولوسين،
الليوسين، ليسين أحادي الهيدرات، أورنيثين هيدروكلوريد،
فينيل ألانين، بروتين، الميسرين، الثورين، ثريونين،
التيروزين).

حمض فورميك أسيد وحمض بروبيونك أسيد وحمض
لاكتيك أسيد وحمض أسيتك أسيد ٥٤٠ جرام

فترة السحب :

لا يوجد



١٠٠٠ مل



(أقل من ٣٠٠ درجة مئوية)