



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

NEW

Move - Dox 50%



>



Cow



Poultry

>



Goat



Lamb

Pharmaceutical

Broad- spectrum antimicrobial For enteric and respiratory infections

DOSAGE AND ADMINISTRATION:

Cattle (Pre-ruminant calves):

For use in milk replacer: 10 mg per kg of body weight twice a day for 3-5 consecutive days.

Pigs: 20 mg per kg of body weight with drinking water for 3-5 consecutive days.

Poultry: 50 mg per kg body weight (1 gm/4 liters of drinking water) for 3-5 consecutive days.

INDICATIONS:

Treatment and prevention of various diseases:

CRD, Coryza, Mycoplasma, Airsacculitis Sinusitis, Synovitis, Colibacillosis, Omphalitis and yolk sac infection, fowl cholera, necrotic enteritis

(Clostridia), and different bacterial enteritis and diarrhea.

COMPOSITION:

Each 1 gm contains:

Doxycycline Hyclate 500 mg

WITHDRAWAL PERIOD:

Calves : 7 days

Pigs : 8 days

Poultry : 5 days



500 gm



(below 30°C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

جديد

موفي - دوكس ٥٠ %



>



Cow



Poultry

>



Goat



Lamb

Pharmaceutical

مضاد بكتيري واسع الطيف للإصابات المعوية والتنفسية

التركيبية :

كل 1 غرام يحتوي :

دوكسي سيكلين هايكليت 500 ملغم

فترة السحب :

العجول : ٧ أيام

الخنزير : ٨ أيام

الدجاج : ٥ أيام

الجرعات وطريقة الاستعمال :

الماشية (العجول قبل الإجتراح)

للاستخدام مع بديل الحليب: 10 ملغم لكل كغم من وزن الجسم مرتين يوميا لمدة 3 - 5 أيام متتالية.

الخنزير 20 ملغم لكل كغم من وزن الجسم مع ماء الشرب لمدة 3 - 5 أيام متتالية.

الدجاج : 50 ملغم لكل كغم من وزن الجسم (1) غم / 4 لتر من ماء الشرب لمدة 3 - 5 أيام متتالية.

دواعي الاستعمال:

المعالجة والوقاية من الامراض المختلفة: الرشح المزمن والمايكوبلازما والتهاب التجاويف الانفية والرشح المعدي (كورايزا) والتهاب الاغشية الزلالية للمفاصل والحمى البغائية في الطيور والايكولاوي وكوليرا الطيور والتهاب الامعاء النخري الكولسترديا) والنزلات المعوية والإسهالات البكتيرية المختلفة.



٥٠٠ غم



(أقل من 30° درجة مئوية)