



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية  
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

# MEIOXIDERN



Dog

## Oral Suspension for dogs

### DOSAGE AND ADMINISTRATION:

shake well before use.

Initial dose: 0.2 mg meloxicam per kg of body weight on the first day.

Maintenance dose: 0.1 mg meloxicam per kg of body weight once daily (at 24-hour intervals).

Dosing procedure using the dropper:

Initial dose: 4 drops per Kg of body weight.

Maintenance dose: 2 drops per kg of body weight.

mixed with food or directly into the mouth.

### INDICATIONS:

Meloxicdern is an anti-inflammatory drug, primarily used in dogs for the treatment of pain and inflammation associated with osteoarthritis and other musculoskeletal disorders.

It functions by inhibiting prostaglandin synthesis, leading to its anti-inflammatory, analgesic and antipyretic properties. Meloxicdern is also commonly used to alleviate post-operative following orthopedic and soft tissue surgeries.

### COMPOSITION:

Each tablet contains:

Meloxicam 1.5 mg

### WITHDRAWAL PERIOD:

None



100 ml



( below 30° C )



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية  
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

## ميلوكسيدين



Dog



معلق فموي للكلاب

Pharmaceutical

### الجرعات وطريقة الاستعمال :

رج العبوة جيداً قبل الاستخدام  
..اليوم الأول: ٠,٢ ملغم ميلوكسيكام لكل كيلوجرام من وزن الجسم في اليوم الأول  
اليوم الثاني: ٠,١ ملغم ميلوكسيكام لكل كيلوجرام من وزن الجسم مرة واحدة يوميًا (بفاصل ٢٤ ساعة)

طريقة تحديد الجرعات باستخدام القطارة  
الجرعة الأولية: ٤ قطرات لكل كيلوجرام من وزن الجسم  
الجرعة المستمرة: قطرتان لكل كيلوجرام من وزن الجسم  
يخلط مع الطعام أو مباشرة في الفم

### الخواص العلاجية والإستطابات:

ميلوكسيدين هو دواء مضاد للالتهابات، يستخدم بشكل أساسي في الكلاب لعلاج الألم والالتهابات المرتبطة بالتهاب المفاصل العظمي واضطرابات الجهاز العضلي الهيكلي الأخرى. يعمل عن طريق تثبيط تخليق البروستاجلاندين، مما يمنحه خصائص مضادة للالتهابات. مسكنة للألم وخافضة للحرارة. كما يستخدم ميلوكسيدين بشكل شائع لعلاج ما بعد العمليات الجراحية للعظام والأنسجة الرخوة.

### التركيبية :

كل حبة تحتوي على :  
ميلوكسيكام ١,٥ ملغم

### فترة السحب :

لا يوجد



١٠٠ مل



( أقل من 30° درجة مئوية )