



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

MOVE - TripleSulfa K



>



Cow



Poultry

>



Goat



Lamb

Water Soluble Powder - Broad-Spectrum Mixture Against Bacteria and coccidiosis

DOSAGE AND ADMINISTRATION:

Poultry:

250 gm per 500 L of drinking water for 3 days.

Suspend treatment for 2 days then resume for another 2 days in acute cases.

Large animals:

8-10 gm per 50 kg of body weight for 3 days in drinking water.

INDICATIONS:

Move-TripleSulfa K is used for treatment of all types of coccidiosis in poultry and small animals.

Move-TripleSulfa K is used in treat enteritis, fowl cholera, fowl typhoid, and coryza.

COMPOSITION:

Each 1 gm contains:

Sulfadimidine Sodium	125 mg
Sulfadiazine Sodium	125 mg
Sulfathiazole Sodium	125 mg
Vitamin K 3	10 mg

WITHDRAWAL PERIOD:

Poultry: 5 days.

Meat: 21 days.

Milk: 10 days.

Not be used in layers Poultry that produce eggs for human consumption.



1000/ 500gm



(below 30°C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

موفي - تربلسلفا ك



>



Cow



Poultry

>



Goat



Lamb

بودرة قابلة للذوبان في الماء - خليط واسع الطيف ضد البكتيريا والكوكسيديا

الجرعات وطريقة الاستعمال :

الدواجن:

٢٥٠ غم لكل ٥٠٠ لتر من مياه الشرب لمدة أيام.

يتم إيقاف العلاج لمدة يومين ثم استكمالها لمدة يومين آخرين في الحالات الحادة.

الحيوانات الكبيرة :

٨ - ١٠ غم لكل ٥٠ كغم من وزن الجسم لمدة ٣ أيام في مياه الشرب.

التركيبية :

كل ١ غرام يحتوي :

سلفاديميدين الصوديوم ١٢٥ ملغرام

سلفاديازين الصوديوم ١٢٥ ملغرام

سلفاتينزول الصوديوم ١٢٥ ملغرام

فيتامين ك ٣ ١٠ ملغرام

فترة السحب :

الدواجن ٥ أيام اللحوم ٢١ يوما. الحليب : ١٠

أيام. لا يستخدم في الدجاج البياض الذي ينتج

البياض للإستهلاك البشري.

الخواص العلاجية والإستطابات:

موفي - تربلسلفا ك يستخدم للسيطرة على جميع أنواع الكوكسيديا ومعالجتها في الدواجن والحيوانات الصغيرة.

موفي - تربلسلفا ك يستخدم في علاج التهاب الأمعاء كوليرا الطيور، تيفويد الطيور، والكوريزا.



٥٠٠ / ١٠٠٠ جرام



(أقل من ٣٠٠ درجة مئوية)