



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية


The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

MOVE SULFACLOZINE



>



>

Poultry

Powder - for Treatment of Coccidiosis, Salmonellosis and Cholera Infections

DOSAGE AND ADMINISTRATION:

Poultry:

For treatment of Coccidiosis: 1 gm/L of drinking water (equivalent to 50 mg sulfachloropyrazine/kg of body weight)

For periodic treatment of Coccidiosis: 1 gm/L of drinking water (shuttle programs in days 1,3,5,7,9 or 1,2,5,6,9 are effective)

For treatment of Salmonellosis and Pasteurellosis: 1-2 gm/L of drinking water, for 5 days at least.

INDICATIONS:

Move-Sulfaclozine: is a sulfonamide antibiotic, used for treatment of Coccidiosis in poultry caused by Eimeria species such as necatrix, maxima, acervulina, mitis, tenella, brunetti, praecox, adenoides, meleagridis, Salmonellosis caused by Salmonella (gallinarum, pullorum, enteritidis, typhimurium) and Pasteurellosis (Pasteurella multocida).

Move-Sulfaclozine: for treatment of infectious coryza

COMPOSITION:

Each 1 gm contains:

Sulfachloropyrazine 300 mg
Sodium

WITHDRAWAL PERIOD:

Meat & Eggs: 14 days.



500 gm



(below 30°C)




شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

موفي-سلفاكلوزين



>



>

Poultry

Pharmaceutical

بودرة - يستخدم لعلاج الكوكسيديا والسالمونيلا والكوليرا

الجرعات وطريقة الاستعمال :

الدواجن:

علاج الكوكسيديا: ١ غم /لتر من ماء الشرب (ما يعادل ٥٠ ملغ من سلفا كلورو بيرازين/كغ من وزن الجسم)
المعالجة الدورية للكوكسيديا: ١ غم/ لتر من مياه الشرب (برامج الموك في أيام ١٤، ٣٥، ٧٤، ٩ أو ١٢، ٥٦، ٩٠، ٩٢ فعالة).
لمعالجة داء السالمونيلا وداء الباستوريلا: ١-٢ غم/لتر من ماء الشرب، لمدة ٥ أيام على الأقل

الخواص العلاجية والإستطابات:

موفي- سلفاكلوزين: مضاد حيوي ينتمي إلى مجموعة السلفوناميدات يستخدم لعلاج الكوكسيديا في الدواجن التي تسببها أنواع الكوكسيديا مثل: ايميريا نيكاتريكس، ماكسيما، اسيرفولينا، مايتس، تينيللا، برونتي، براكوكس، ادينويدس، مليجرمايتس، وداء السالمونيلا الناجم عن الإصابة بالسالمونيلا (جالينيرم و بلورم و انتراتيديس و تايفيميوريم) وداء الباستوريلا (الباستوريلا مالتوسيدا)،

موفي-سلفاكلوزين: علاج حالات الزكام المعدي

التركيبية :

كل ١ غم يحتوي :

سلفا كلورو بيرازين الصوديوم ٣٠٠ ملغم

فترة السحب :

اللحم : ١٤ يوم
الحليب: ٢٨ ايام



٥٠٠ غم



(أقل من ٣٠٠ درجة مئوية)