





شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Movecox 2.5%



Poultry

Oral Solution Anticoccidial drug

DOSAGE AND ADMINISTRATION:

Poultry : 100ml in 100L of drinking water.
For 2 consecutive days in sever cases infections treatment may be repeated after 5 days.

COMPOSITION:

Each 1 ml contains:

Toltrazuril 25 mg

WITHDRAWAL PERIOD:

7 days

INDICATIONS:

treatment of coccidiosis in poultry it is effective against all emeria species of poultry and mammals it is acts againts all intracellular development stages of coccidian
Movecox is effective against Eimeria acervulina,E. brunetti, E. maxima, E. necatrix, E. tenella, E. mitis



1000 ml



(below 30°C)




شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

موفي كوكس ٢,٥%



>
>



Poultry

محلول فموي مضاد كوكسيديا قوي وآمن

الجرعات وطريقة الاستعمال :

الدواجن:

١٠٠ مل لكل ١٠٠ لتر من مياه الشرب لمدة يومين متتاليين.
في الإصابات الحادة يمكن تكرار العلاج بعد ٥ أيام.

التركيبة :

كل ١ مل يحتوي :

٢٥ ملغم

تولترازورايل

فترة السحب :

٧ أيام

الخواص العلاجية والإستطبابات:

لعلاج الكوكسيديا في الدواجن ، فعال ضد جميع أنواع الأميريا في الدواجن والثدييات وفعال ضد كافة مراحل نمو الكوكسيديا .
موفيكوكس فعال ضد ايميريا اسيير فيولينا ، ايميريا برونيتي ، ايميريا ماكسيما ، ايميريا نيكاتركس ، ايميريا تينيلا ، ايميريا ماينس.



مل ١٠٠



(أقل من ٣٠ درجة مئوية)