



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية


The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

Movezuril 2.5%



>



>

Poultry

Oral Solution Anticoccidial drug

DOSAGE AND ADMINISTRATION:

Poultry: 20 ml/200 L of drinking water for 48 hours.
In severe cases: 40 ml/200 L of drinking water for 48 hours.

INDICATIONS:

Treatment of coccidiosis in poultry. It is effective against all Eimeria species of poultry and mammals. it acts against all intracellular developmental stages of coccidia.

COMPOSITION:

Each 1 ml contains:

Diclazuril 25 mg

WITHDRAWAL PERIOD:

5 days



1000 ml



(below 30°C)




شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

موفي زوريل ٢,٥٪



>



>

Poultry

Pharmaceutical

محلول فموي مضاد كوكسيديا قوي وأمن

الجرعات وطريقة الاستعمال :

الدواجن:

٢٠ مل/٢٠٠ لتر من ماء الشرب لمدة ٤٨ ساعة

في الحالات الشديدة: ٤٠ مل/ ٢٠٠ لتر من ماء الشرب لمدة ٤٨ ساعة.

الخواص العلاجية والإستطابات:

لمعالجه الكوكسيديا في الدواجن، فعال ضد جميع انواع الايميريا في الدواجن والتدنيات وفعال ضد كافة مراحل تطور الكوكسيديا داخل الخلايا.

التركيبية :

كل ١ مل يحتوي :

٢٥ ملغم

ديكلازوريل

فترة السحب :

٥ أيام



١٠٠٠ مل



(أقل من ٣٠٠ درجة مئوية)