




شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

ZYOTAB 300



Broad spectrum Anthelmintic

DOSAGE AND ADMINISTRATION:

Sheep and Goats: Lung, Round, Tape worms: Half bolus / 40 kg of body weight. Lung worms (Chronic Fasciolasis): One bolus / 40 kg of body weight. Fasciolasis (Dicrocoelium): Two boluses / 40 kg of body weight. Cattle and Camels: Lung, Round, Tape worms: One bolus / 40 kg of body weight. Liver fluke (Chronic Fasciolasis): One bolus / 30 kg of body weight. Acute Fasciolasis: Two boluses / 40 kg of body weight.

WARNINGS : Don't treat animals during first month of pregnancy.

INDICATIONS:

Is an anthelmintic that acts against nematodes, trematodes, cestodes, lungworms, liver flukes. Albendazole is active against adult stages, larvae and eggs of gastrointestinal roundworms, lung worms, tape worms and liver flukes in Sheep, Goats, Cattle and Camels.

COMPOSITION:

Each bolus contains:

Albendazole 300 mg

WITHDRAWAL PERIOD:

For meat: Cattle and camels: 15 days.

Sheep and goats: 10 days.

For milk: 5 days.



50 Bolus



(below 30°C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

زيوتاب ٣٠٠



> Cow



Goat



Lamb

>



Horse



Camel

طارد للديدان واسع الطيف

الجرعات وطريقة الاستعمال :

الضأن والماعز: الديدان الرئوية والإسطوانية والشريطية: نصف بلعة / ٤٠ كغم من وزن الجسم. الديدان الرئوية والديدان الكبدية (فاشيولا مزمنة): بلعة / ٤٠ كغم من وزن الجسم.
الديدان الكبدية (دايكروسيليوم): بلعتان / ٤٠ كغم من وزن الجسم.
الأبقار والجمال: الديدان الرئوية والإسطوانية والشريطية: بلعة / ٤٠ كغم من وزن الجسم.
الديدان الكبدية (فاشيولا مزمنة): بلعة / ٣٠ كغم من وزن الجسم.
الديدان الكبدية (فاشيولا إصابة حادة): بلعتان / ٤٠ كغم من وزن الجسم.
تحذيرات: لا تستخدم العلاج للحيوانات في الشهر الأول من الحمل.

الخواص العلاجية والإستطبابات:

طارد للديدان يعمل ضد أغلب الديدان الإسطوانية والديدان الشريطية والديدان الرئوية والديدان الكبدية. تتميز مادة البندازول بتأثيرها على الأطوار البالغة واليرقات والبويضات لديدان الجهاز الهضمي الإسطوانية والديدان الرئوية والكبدية والديدان الشريطية في الأغنام ، الماعز ، الأبقار والجمال.

التركيبة :

كل بلعة (٥ غرام) تحتوي :

البندازول ٣٠٠ ملغم

فترة السحب :

للحوم : الأبقار والجمال: ١٥ يوم.
الضأن والماعز: ١٠ أيام.
الحليب: ٥ أيام.



٥٠ بلعة



(أقل من ٣٠٠ درجة مئوية)