

NEW

## شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

## TOXI FARM













#### Appetizer, growth promoter and stimulant for immunity

#### INDICATIONS:

- Broad spectrum and multi-purpose for animals consumption
- Reduces the death rate
- · Effectively helps to get rid of mycotoxins and fungi
- Increases the strength of the immune system and increases the response to vaccines
- Improves appetite for feed consumption and increases the ability to withstand heat stress
- · Contains amino acids and butyric acid, which leads to the rapid renovation of intestinal cells and increases the rate of digestion and absorption of proteins, and thus weight gain
- It contains a large proportion of organic acids that have a strong effect on fungi and harmful bacteria such as E. coli, salmonella and clostridia...

#### COMPOSITION:

1,5 gm

Phosphoric acid	60 gm	
Lactic acid	20 gm	
Butyric acid	20 gm	
Sorbic acid	20 gm	
Vitamin B1	1.51 gm	
Vitamin B5	2.5 gm	
Vitamin B12	0.005 gm	
Sodium selenate	0.05 gm	
Copper sulfate	1,5 gm	
Magnesium sulfate 20 gm		

Amino acids

Each 1 Liter contains:							
Phosphoric acid	60 gm	Citric acid	60 gm				
Lactic acid	20 gm	Formic acid	20 gm				
Butyric acid	20 gm	Benzoic acid	3-gm				
Sorbic acid	20 gm	Mannan Oligosac	charides 5 gm				
Vitamin B1	1.51 gm	Vitamin B2	0.01 gm				
Vitamin B5	2.5 gm	Vitamin B6	1,5 gm				
Vitamin B12	0.005 gm	Potassium iodide	0.5 gm				
Sodium selenate	0.05 gm	Dry yeast	50 gm				
Copper sulfate	1,5 gm	Manganese sulfat	te 10 gm				
Magnesium sulfat	te 20 gm	Zinc sulfate	10 gm				

Each 1 gm of am	ino acids con	itains:	
Methionine	0.95%	Arginine	5.36%
Alanine	9.23%	Cystine	0.12%
Glutamic acid	9.81%	Glycine	24.75%
Histidine	0.8%	Isoleucine	2.935%
L-Leucine	1.15%	Lysine HCI	3.38%
Phenylalanine	1.17%	Proline	13.82%
Serine	2.18%	Threonine	0.79%
Tyrosine	0.385%	Aspartic acid	5.28%

#### DOSAGE:

1 ml/2 liters of drinking water for 3-5 days

## WITHDRAWAL PERIOD:

None



1000 ml



(below 30°C)



## شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية

The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

# توكسى فارم







Cow

Poultry





Lamb

### فاتح للشهية و منشط للنمو و محفز للمناعة

### الجرعات وطريقة الاستعمال:

١ مل لكل ٢ لتر ماء الشرب
لمدة ٣-٥ أيام .

### فترة السحب:

لايوجد

## الخواص العلاجية والإستطبابات:

- •واسع الطيف و متعدد الإستعمالات للاستهلاك الحيواني •بقلل نسنة الوفيات
- يُساعد بفعالية على التخلص من السموم الفطرية و الفطريات • يزيد من قوة الجهاز المناعي و يرفع الإستجابة للقاحات
- ويُحَسن الشّهية لإستهلاك العلّف و يزيد القدرة على تحمل الإجهاد الحراري ويحتوي على أحماض أمينية وحمض البيوتريك الذي يؤدي الى سرعة تجديد خلايا
- الأمعاءُ و يزيد معدل هضّم البروتينات و آمنّصاصها و بالتّالي زيادة الوزن • يحتوي على نسبة كبيرة من الأحماض العضوية التي لها تأثير قوي على الفطريات و البكتيريا الضارة مثل الإيكولاي و السالمونيلا و الكلوستريديا ...

0 : غم 10 غم

السيرين

## التركيبة:

احماض امينية

	کل ۱ لتریحتوی علی :			
حمض السيتريا	الغرام.	حمض الفوسفوريك		
حمض الفورميا	- ۲ غرام	حمض اللاكتيك		
حمض البنزوبك	p.c F -	حمض البيوتريك		
منان اوليجوس	рέ Г -	حمض السوربيك		
فيتامين ب	pc 1.01	فینامین ب ا		
فیتامین ب ۲	де Г,0	فیتامین ب 0		
يوديد البوتاسا	ρέ 0	فیتامین ب ۱۲		
حميرة جافة	ρέ 0	سيلينات الصوديوم		
سلفات المنجن	ρέ 1.0	كبرينات النحاس		
كبريتات الزنك	nc F	dentile legimon		



تريونين

حمض الاسبارتيك