



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

Bromoline



>



Birds

>



Pigeons



Fighter

Capsules for Respiratory and Intestinal Infection

INDICATIONS:

Bromoline used for prevention and treatment of respiratory and digestive diseases caused by sensitive bacteria to Tylosin and/or doxycycline in pigeons and caged birds, such as a chronic respiratory diseases causing by mycoplasma, gastrointestinal inflammation, bird cholera, avian colibacillosis, chlamydia infections.

Bromoline contains a bromhexine which is a complementary to antibiotic therapy through improvement of body response, and enhancement of their penetration into bronchial secretions; and thus considered as an adjuvant in treatment of respiratory infections.

DOSAGE AND ADMINISTRATION:

Pigeons: 2 Capsules orally on the first day and then 1 Capsule daily for 5 consecutive days.

Small birds and canary: 1 Capsule in 30 ml of water daily for 5 consecutive days.

COMPOSITION:

Each Capsule contains:
Doxycycline Hyclate 10.0 mg
Tylosin Tartrate 15.0 mg
Bromhexine Hydrochloride 0.10 mg

WITHDRAWAL PERIOD:

None



100 Capsules



(below 30° C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

برومولين



>



Birds

>



Pigeons



Fighter

كبسولات لعلاج التهابات الجهاز التنفسي والأمعاء

الخواص العلاجية والإستطبابات:

برومولين يستخدم للوقاية والعلاج من أمراض الجهاز التنفسي والجهاز الهضمي التي تسببها بكتيريا حساسة للتأيلوزين و/أو الدوكسي سيكلين في الحمام و طيور الأقفاص، مثل أمراض الجهاز التنفسي المزمنة التي تسببها الميكوبلازما والتهاب الجهاز الهضمي وكوليرا الطيور وداء العصيات القولونية في الطيور وعدوى الكلاميديا.
برومولين يحتوي على البرومهيكسين وهو مكمل للعلاج بالمضادات الحيوية من خلال تحسين استجابة الجسم وتعزيز اختراقها للإفرازات القصبية؛ وبالتالي يعتبر مساعداً في علاج التهابات الجهاز التنفسي.

الجرعات وطريقة الاستعمال :

طيور الحمام: كبسولات عن طريق الفم في اليوم الأول ثم كبسولة واحدة يوميا لمدة ٥ أيام متتالية.
للطيور الصغيرة والكناري: كبسولة واحدة في ٣٠ مل من الماء يوميا لمدة ٥ أيام متتالية.

التركيبة :

كل كبسولة تحتوي على:
دوكسي سيكلين هيكلات ١٠ ملغم
تأيلوزين تارترات ١٥ ملغم
برومهيكسين هيدروكلوريد ٠,١ ملغم

فترة السحب :

لا يوجد



١٠٠ كبسولة



(أقل من ٣٠ درجة مئوية)