



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

Pharmaceutical

Fipro-Mofed



>



Cat



Dog

>

spray for Prevention and Treatment of Fleas, Ticks and Lice

INDICATIONS:

Treatment and prevention of fleas (*Ctenocephalides* spp.) and ticks (*Ixodes* spp., including *Ixodes ricinus*) infestations in cats and dogs.
Treatment of biting lice infestations in dogs (*Trichodectes canis*) and cats (*Felicola subrostratus*).
Insecticidal efficacy against new infestations with adult fleas persists for up to 2 months in cats and up to 3 months in dogs, depending on environmental challenges.
The product has a persistent acaricidal efficacy for up to one month against ticks, depending on the level of environmental challenges

DOSAGE AND ADMINISTRATION:

Apply 3 to 6 ml per kg of bodyweight. Spray the entire body of the animal. Apply against the direction of hair growth and make sure that the entire coat gets wet. Ruffle the coat, especially in long-haired animals, so that the product can reach down to the skin.
The 100 ml bottle contains:
Approximately 3 to 6 treatments for a dog weighing 5 kg, depending on hair length
Approximately 8 treatments for a short-haired cat weighing 4 kgs
Approximately 2 treatments for a long-haired dog weighing 8 kgs
*The minimum treatment interval is 4 weeks

COMPOSITION:

Each 1 ml contains:
Fipronil 2.5 mg

WITHDRAWAL PERIOD:

None



50 ml



(below 30°C)



شركة الحديثة لصناعة الأدوية البيطرية و المبيدات الزراعية
The Modern Company for Veterinary Medicines & Agricultural Pesticides Industries

فايبروموفيد



>



Cat



Dog

>

Pharmaceutical

بخاخ للوقاية والعلاج من البراغيث والقراد والقمل.

الخواص العلاجية والإستطبابات:

علاج ومنع البراغيث (الأنواع المختلفة) والقراد (الأنواع المختلفة، بما في ذلك نوع الريكوس) في القطط والكلاب.
علاج القمل الماص في الكلاب والقطط.
تستمر الفاعلية الحشرية ضد الاصطفافات الجديدة مع البراغيث البالغة لمدة تصل إلى شهرين في القطط وحتى 3 أشهر في الكلاب، وذلك حسب التحديات البيئية.
المنتج له فاعلية مستمرة ضد القراد لمدة تصل إلى شهر واحد، وذلك حسب مستوى التحديات البيئية.

الجرعات وطريقة الاستعمال :

قم بفرش 3 إلى 6 مل لكل كيلوجرام من وزن الجسم.
رشن جسم الحيوان بالكامل مع اتجاه معاكس لنمو الشعر، وتأكد من أن الفروة كلها أصبحت مبللة.
قم بتفريق الشعر بالأصابع خاصة في الحيوانات ذات الشعر الطويل، حتى يصل المنتج إلى الجلد.
زجاجة 100 مل تحتوي على:
تقريباً من 3 إلى 6 جرعات لكل كلب يزن 5 كجم (حسب طول الشعر).
تقريباً 8 جرعات لكل قطة قصيرة الشعر تزن 4 كجم.
تقريباً جرعتين لكل كلب طويل الشعر يزن 8 كجم.
*المدة الادنى بين العلاجات هي 4 أسابيع.

التركيبية :

كل 1 مل يحتوي على:
فيبزونييل 2,5 ملغم

فترة السحب :

لا يوجد



50 مل



(أقل من 30 درجة مئوية)